



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5120008
SITENAME Valli glaciali di Orto di Donna e Solco d'Equi

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT5120008	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Valli glaciali di Orto di Donna e Solco d'Equi

1.4 First Compilation date	1.5 Update date
1995-07	2017-01

1.6 Respondent:

Name/Organisation: Regione Toscana -D.G. Politiche Ambientali, Energia e Cambiamenti
Climatici-Settore Tutela e Valorizzazione Risorse Ambientali
Address: Via di Novoli, 26 - 50127 Firenze
Email: parchiareeprotette_biodiversita@regione.toscana.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2016-05

National legal reference of SAC designation:

DM 24/05/2016 - G.U. 139 del 16-06-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

10.2025

Latitude

44.139167

2.2 Area [ha]:

2832.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITE1

Toscana

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4030			56.64		M	D			
4060			84.96		M	C	C	B	A
5130			84.96		M	D			
6170			169.92		M	B	C	B	A
6210			509.76		M	B	C	B	A

B	A103	peregrinus			p	1	1	p		G	C	B	C	C
B	A096	Falco tinnunculus			p				P	DD	D			
B	A338	Lanius collurio			r				P	DD	C	B	C	C
B	A280	Monticola saxatilis			r				P	DD	C	B	C	C
B	A277	Oenanthe oenanthe			r				R	DD	D			
B	A345	Pyrrhocorax graculus			p				P	DD	C	B	B	C
B	A346	Pyrrhocorax pyrrhocorax			p				P	DD	C	B	B	C
M	1305	Rhinolophus euryale			p				R	DD	C	B	C	C
M	1304	Rhinolophus ferrumequinum			p				R	DD	C	B	C	C
M	1303	Rhinolophus hipposideros			p				V	DD	C	B	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Abies alba			0	22							X	
P		Aconitum variegatum variegatum			0			V						X
I		Anostirus marginatus			0			P						X
P		Aquilegia sp. pl.			0			R						X
P		Arenaria bertolonii			0			C				X		
P		Armeria marginata			0			P						X
P		Armeria seticeps			0			C				X		

P		Artemisia nitida			0			V				X		
P		Asperula purpurea apuana			0			P				X		
P		Astragalus sempervirens gussonei			0			P						X
P		Astrantia pauciflora			0			C				X		
P		Athyrium distentifolium			0			V						X
P		Betula pendula			0			V						X
P		Biscutella apuana			0			C				X		
P		Buphthalmum salicifolium ssp. flexile			0			C				X		
P		Carex macrostachys			0			C				X		
P		Carum apuanum			0			C				X		
P		Centaurea ambigua			0			C				X		
P		Centaurea triumfetti			0			C						X
P		Cerastium apuanum			0			C				X		
I		Chilostoma cingulatum apuanum			0			C				X		
I		Chrysolina osellai			0			P				X		
P		Cirsium bertolonii			0			C				X		
I		Cochlodina fimbriata			0			P						X
I		Cochlostoma montanum			0			P				X		
I		Coenonympha dorus aquilonia			0			R						X
R	1284	Coluber viridiflavus			0			C	X					
P		Convallaria majalis			0			R						X
R		Coronella girondica			0			R					X	
P		Corydalis solida			0			V						X
P		Daphne oleoides			0			C						X
P		Doronicum columnae			0			C						X
P		Draba aizoides var. bertolonii			0			R				X		

I		morpheus			0			R					X	
P		HIERACIUM PORRIFOLIUM L.			0			V					X	
P		Huperzia selago			0			R		X				
P		Hutchinsia alpina			0			P						X
P		Leontodon anomalus			0			C					X	
P		Leucanthemum heterophyllum			0			P						X
P		Lilium croceum			0			R						X
P		Lilium martagon			0			R						X
P		LINARIA PURPUREA (L.) MILLER			0			C					X	
P		LINUM ALPINUM JACQ.			0			C					X	
P		Listera cordata			0			P						X
P		LOTUS ALPINUS (DC.) SCHLEICHER			0			R						X
I	1058	Maculinea arion			0			R	X					
I		Maculinea rebeli			0			V					X	
P		Melampyrum pratense			0			P						X
M		Microtus multiplex			0			P						X
P		MOLTZIA SUFFRUTICOSA (L.) BRAND			0			C					X	
M	1341	Muscardinus avellanarius			0			R	X					
M	1358	Mustela putorius			0			R		X				
M	1330	Myotis mystacinus			0			R	X					
P		Myrrhis odorata			0			P						X
P		Narcissus poeticus			0			C						X
P		Ophioglossum vulgatum			0			V						X
I		Oreina elongata zoiai			0			P					X	
P		Paeonia officinalis			0			R						X
I	1057	Parnassius apollo			0			R	X					
I	1056	Parnassius memosyne			0			R	X					
M	1309	Pipistrellus pipistrellus			0			R	X					

P		ALPINA L.			0				R							X
P		Sorbus chamaemespilus			0				P							X
I		Stomis roccai			0				P				X			
M		Talpa caeca			0				P							X
P		Taxus baccata			0				R							X
P		THESIUM ALPINUM L.			0				R							X
P		THESIUM SOMMIERI HENDRYCH			0				R				X			
P		Thymus pannonicus			0				P							X
I		Timarcha apuana			0				R				X			
P		Trinia dalechampii			0				V							X
P		Valeriana officinalis			0				C							X
P		VALERIANA SAXATILIS L.			0				C				X			
P		Verbascum alpinum			0				V							X
P		Veronica longistyla			0				P							X
P		Woodsia alpina			0				V							X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	26.0
N17	2.0
N10	1.0
N23	3.0
N07	1.0
N11	5.0

N09	23.0
N19	1.0
N08	10.0
N22	27.0
N06	1.0
Total Habitat Cover	100

Other Site Characteristics

Area di elevato pregio paseaggistico, con numerose testimonianze geomorfologiche della glaciazione wurmiana e numerose tipologie di carsismo superficiale e profondo.

4.2 Quality and importance

Il biotopo presenta un contigente floristico di grande interesse fitogeografico con un elevata presenza di specie endemiche e rare. Da segnalare la presenza di numerose stazioni relitte tra cui l'unico nucleo apuano di *Abies alba* autoctono. Presenza, oltre alla *Callimorpha quadripunctaria* (nec *quadripunctata*!), di specie di Lepidotteri estremamente localizzate e minacciate di stinzione (*Parnassius apollo*, *Parnassius mnemosyne*).

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	F03.01		b
L	D01.02		i
M	A04		i
M	A04.03		i
M	F04.01		i
H	J01		i
M	D01.01		i
M	G01.02		i
M	G02.08		i
M	E02		o
L	F03.02.01		i
H	C01		i
L	E01		o
H	E03.03		b
M	H01		i
L	D02.01		i
M	H06.01		b
M	A04.03		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
	X		

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0

Any Public	60
Joint or Co-Ownership	0
Private	40
Unknown	0
sum	100

4.5 Documentation

Archivio RENATO - Repertorio Naturalistico Toscano - Regione Toscana Comunicazione Giuseppe Vignali.

Piante Vascolari: Ansaldo M. Bartelletti A. 1997 Un interessante biotopo delle Alpi Apuane: il Canale degli Alberghi (Forno di Massa) Atti Soc. Tosc. Sci. Nat. Mem. ser. B 103: 55-57 (1996). Ansaldo M. Bartelletti A. Tomei P. E. 1989 L'abete bianco (*Abies alba* Miller) sulle Alpi Apuane Atti Soc. Tosc. Sci. Nat. Mem. ser. B 95: 41-49 (1988). Barbero M. Bono G. 1973 La vegetation orophile des Alpes Apuanes *Vegetatio* 27(1-3): 1-48. Bazzichelli G. 1967 *Euphorbia hyberna* L. ssp. *insularis* (Boiss.) Briq. nuova in Toscana *Ann. Bot. (Roma)* 29: 229-245. Bechi N. Garbari F. Miceli P. 1997 Indagini biosistematiche sulla Flora Apuana. VI contributo: risultati conseguiti e problemi aperti Atti Soc. Tosc. Sci. Nat. Mem. ser. B 103: 35-42 (1996). Bono G. Barbero M. Ferrarini E. 1970 Le Alpi Apuane: i loro rapporti con le Alpi marittime e liguri l'Appennino settentrionale le Alpi orientali e Dinariche *Arch. Bot. Biogeogr. Ital.* 46: 135-153. Erbario dell'Università degli Studi di Siena. Ferrarini E. Alessandrini A. 1988 Aspetti della flora e della vegetazione dell'Appennino settentrionale dal M. Maggioreasca alle Alpi Apuane e al M. Fumaiolo *Mem. Acc. Lunig. Sci.* 51-53: 4-57 (1981-83). Ferrarini E. Ciampolini F. Pichi Sermolli R.E.G. Marchetti D. 1986 *Iconographia palynologica pteridophytorum italiae* *Webbia* 40 (1): 1-202. Ferrarini E. Marchetti D. 1994 Prodromo alla flora della Regione Apuana. Parte prima (*Lycopodiaceae - Leguminosae*) *Acc. Lunig. Sci. G. Capellini. La Spezia.* Ferrarini E. Pichi Sermolli R.E.G. Bizzarri M.P. Ronchieri I. 1997 Prodromo alla flora della Regione Apuana. Parte seconda (*Oxalidaceae - Campanulaceae*) *Acc. Lunig. Sci. G. Capellini. La Spezia.* Ferrarini E. 1963 *Woodsia* in tracce di brughiera ipsofila di tipo alpino sulle Apuane *Giorn. Bot. Ital.* 70: 515-526. Ferrarini E. 1966 Studi sulla vegetazione di altitudine delle Alpi Apuane *Webbia* 21(2): 521-600. Ferrarini E. 1970 Considerazioni sull'origine della flora e sull'oscillazione dei piani di vegetazione delle Alpi Apuane *Arch. Bot. Biogeogr. Ital.* 46: 115-134. Ferrarini E. 1971 Considerazioni sull'origine della flora e sull'oscillazione dei piani di vegetazione delle Alpi Apuane *Lav. Soc. Ital. Biogeogr. n. s. 1:* 68-87. Ferrarini E. 1980 Considerazioni su alcune piante ad areale che comprende la Sardegna e l'Appennino settentrionale *Lav. Soc. Ital. Biogeogr. VIII.* Ferrarini E. 1979 Note floristiche sull'Appennino settentrionale (dal Passo della Cisa al Passo delle radici) *Webbia* 33(2): 235-267. Foggi B. Rossi G. 1996 A survey of the genus *Festuca* L. (*Poaceae*) in Italy. I. The species of the summit flora in the Tuscan-Emilian Apennines and Apuan Alps *Willdenowia* 26: 183-215. Herbarium Universitatis Florentinae, Firenze. Lombardi L. 1994 L'attività estrattiva di Orto di Donna (Alpi Apuane). Analisi di impatto ed ipotesi di recupero ambientale Tesi di laurea. Marchetti D. Monti G. Uzzo E. 1979 Guida all'Orto Botanico delle Alpi Apuane "Pietro Pellegrini". Pacini Editore, Pisa. Orsino F. 1971 Affinità floristiche fra le Alpi Apuane e l'Appennino ligure *Lav. Soc. Ital. Biogeogr. n. s. 1:* 127-147. Pacifico G. Bertozzi G. De Angeli E. 1997 *Orchidaceae* nuove o rare per la Regione Apuana (Toscana) Atti Soc. Tosc. Sci. Nat. Mem. ser. B 103: 43-47 (1996). Università degli Studi di Firenze. Uccelli: Lombardi L. Chiti-batelli A. Galeotti L. Sposimo P. 1998 Le praterie montane delle Alpi Apuane e dell'Appennino Tosco-Emiliano. Vegetazione e avifauna nidificante W.W.F. Toscana Regione Toscana. Comunicazione personale Paolo Sposimo (NEMO), Firenze. Anfibi: Comunicazione personale Cecilia Volpi, Firenze. Insetti: Bianucci G.P., Nottoli G. 1981. L'abisso O. Coltelli Atti III Congr. Fed. speleol. tosc. Massa 18.XII.1977: 94-102. Bonzano C., Calandri G., Reda Bonzano B. 1983. Brevi note biologiche su alcune cavità delle Alpi Apuane. Atti IV Congresso della Federazione Speleologica Toscana Fiesole 1-3.V.1981: 177-185. Collezione Giuseppe Vignali, Massa. Collezione Stefano Vanni, Firenze. Daccordi M., Ruffo S. 1979. Le *Chrysolina* italiane del sottogenere *Threnosoma* Motsch. (*Coleoptera Chrysomelidae*) *Bollettino del Museo civico di Storia naturale Verona* 6: 305-332. Daccordi M., Ruffo S. 1987. Due nuove sottospecie appenniniche di *Oreina elongata* (Suffrian) (*Coleoptera Chrysomelidae*) *Bollettino del Museo civico di Storia naturale Verona* 13[1986]: 13-18. Monzini V., Pesarini C. 1986. Le specie italiane del genere *Stomis* Clairville (*Coleoptera Carabidae*) *Boll. Soc. entomol. ital.* 118(4-7): 83-92. Platia G. 1994. Fauna d'Italia. XXIII. *Coleoptera Elateridae* Calderini Bologna. Vanni S., Magrini P. 1993. *Coleopteres Carabiques Cavernicoles de la Toscane (Italiae Centrale)* (*Coleoptera, Carabidae*) *Memories de Biospeologie.*, 20: 269-277. Molluschi: Giusti F., Mazzini M. 1971. I Molluschi delle Alpi Apuane. Elenco delle specie viventi con descrizione di una nuova specie: *Vitrinobranhium baccettii* n. sp. *Lavori della Società Italiana di Biogeografia Nuova Serie* 1: 202-334.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
------	-----------	------	-----------	------	-----------

IT07	6.0
IT04	100.0

IT13	100.0
------	-------

IT11	100.0
------	-------

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT13	Monte Tambura - Monte Sella	/	
IT07	Monte Tambura - Monte Sella	/	
IT11	Monte Tambura - Monte Sella	/	
IT04	Monte Tambura - Monte Sella	/	

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Consorzio (Consiglio di gestione L.R. 5/85 e modif.)
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes	Name: Gestione attraverso lo statuto L.R. 5/85. Link: _____
<input type="checkbox"/>	No, but in preparation	
<input checked="" type="checkbox"/>	No	

6.3 Conservation measures (optional)

Gestione attraverso lo statuto L.R. 5/85.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

